



## Sideflex with Tabs with Higher Link



Chain Type	Code Number	Link Width		Weight	Working Load (max.)	Backflex Radius (min)	Sideflex Radius (min)
		A					
		mm	inch	kg/m	N (21°C)	mm	mm
<b>XL-Acetal</b>							
CC 631 TXL	752.42.04	42.0	1.66	1.35	3950	50	457
<b>NC-Acetal</b>							
CC 631 TNC	752.45.04*	42.0	1.66	1.35	3950	50	457

Standard length: 3,048 m - 10 feet (48 links).  
 \*Ask customer service for minimum order quantity.


## Straight Run Reinforced without Tabs



Chain Type	Code Number	Link Width		Weight	Working Load (max.)	Backflex Radius (min)	Sideflex Radius (min)
		A					
		mm	inch	kg/m	N (21°C)	mm	mm
<b>XL-Acetal</b>							
CC 1400 XL	752.32.05	50.0	1.97	1.70	6500	50	660
<b>NC-Acetal</b>							
CC 1400 NC	752.35.05	50.0	1.97	1.70	6500	50	660

Standard length: 3.053 m - 10 feet (37 links).


## Sideflex Reinforced with TABS



Chain Type	Code Number	Link Width		Weight	Working Load (max.)	Backflex Radius (min)	Sideflex Radius (min)
		A					
		mm	inch	kg/m	N (21°C)	mm	mm
<b>XL-Acetal</b>							
CC 1400 TXL	752.32.04	50.0	1.97	1.75	6500	50	660
<b>NC-Acetal</b>							
CC 1400 TNC	752.35.04	50.0	1.97	1.75	6500	50	660

Standard length: 3.053 m - 10 feet (37 links).

## Sideflex Reinforced with Tabs with Higher Link




Chain Type	Code Number	Link Width		Weight	Working Load (max.)	Backflex Radius (min)	Sideflex Radius (min)
		A					
		mm	inch	kg/m	N (21°C)	mm	mm
<b>XL-Acetal</b>							
CC 1431 TXL	752.92.04	50.0	1.97	2.02	6500	50	660
<b>NC-Acetal</b>							
CC 1431 TNC	752.95.04	50.0	1.97	2.02	6500	50	660

Standard length: 3.053 m - 10 feet (37 links).

\* Ask customer service for minimum order quantity of CC1431 TBL chains.

## BSM 2755 Series TableTop Chain



Chain Type	Code Number	Plate Width		Weight	Working Load (max.)	Sideflex Radius (min)	Backflex Radius (min)	Plate Thickness
		mm	inch					
BSM 2755	774.17.31	200	7.87	6.1	12.500	23.9 / 600	4.9 / 125	0.45 / 11.5

Standard length: 1.52 m – 5 ft (19 links).

